

**Friends deserve
best health care.**



Dogs and
Cats

Catosal[®]

The power for success.

CATOSAL SPEEDS UP RECOVERY

Main indications in dogs and cats:

Practising veterinarians reporting from experience have confirmed Catosal's successful track record in stimulating metabolism and strengthening disease resistance in dogs and cats. This makes it a top option for diseases complicated by metabolic disorders. Catosal is successfully used in treating convalescent animals (Kietzmann, 1991). Davis (1973) recommends using Catosal to promote faster regeneration following muscle injury.

According to a 1973 report by Hopkins, Catosal speeds up glycogenolysis in muscles. It has also been shown that treating dogs with Catosal can prevent muscle injuries and inappetence.



Catosal as effective backup for treatment of infectious diseases.

Catosal is often used as supportive therapy for bacterial and viral diseases in dogs and cats. Clinical findings revealed that improving the metabolic status by adjunctive Catosal treatment plays an important role in promoting the healing process (Wong, 1984; Wessels and Gaffin, 1986).

In addition, studies by Ambronn (1973), Jaksch (1985) and Kietzmann (1991) have established the beneficial effect of Catosal in treating dogs and cats for inappetence and non-physiological hair loss. Catosal can also be used in supportive therapy in severe chronic diseases.



| Indication | Dosage (i.v. or s.c./ i.m.) |
|----------------------|--|
| Convalescence | 0.5-2.5 ml / cat / day 1-5 ml / dog / day |
| Inappetence | 0.5-2.5 ml / cat / day 1-5 ml / dog / day |
| Hair loss | 3x 0.5-5 ml / animal at 4-8 day intervals |

REFERENCES

- AMBRONN, G. (1973):
Catosal in einer Groß- und Kleintierpraxis (Kollegen berichten).
Vet. Med. Nachr. 2, 165-167
- DAVIS, P. (1973):
Toe and muscle injuries of the racing greyhound.
New Zeal. Vet. J. 21, 7, 133-146
- HOPKINS, T. (1973):
Coforta + Vitamin B₁₂ in greyhounds.
Bayer Report
- JAKSCH, W. (1985):
Diät und Therapie bei gastrointestinalen Störungen.
Wien. Tierärztl. Mschr. 72, 3, 85
- KIETZMANN, M. (1991):
2. Erfahrungsbericht "Catosal".
Bayer Report
- WESSELS, B.; GAFFIN, L. (1986):
Anti-endotoxin immunotherapy for canine parvovirus endotoxaemia.
J. Small Anim. Pract. 27, 10, 609
- WONG, W. (1984):
Unilateral laryngeal paralysis in a cat.
J. Small Anim. Pract. 25, 4, 199-202